

**CLASSIFICATION:** CAFCO 300 AC

**PRODUCT DESCRIPTION:** CAFCO® 300 AC is part of the most innovative and widely specified and used commercial density family of Wet Mix Spray-Applied Fire Resistive Material (SFRM) in the world. CAFCO 300 AC is specifically formulated to achieve maximum productivity, creating on-site efficiencies unmatched by any other commercial density Wet Mix SFRM. Its thermal performance advantages, enhanced physical performance characteristics, and increased productivity, enables CAFCO 300 AC to emerge as the most advanced Wet Mix SFRM in the commercial construction industry.

Section 1: Summary

Nested Method / Product Threshold

CONTENT INVENTORY

<b>Inventory Reporting Format</b>	<b>Threshold level</b>	<b>Residuals/Impurities</b>	<i>Are All Substances Above the Threshold Indicated:</i>
<input checked="" type="radio"/> Nested Materials Method	<input type="radio"/> 100 ppm	Residuals/Impurities Considered in 1 of 1 Materials	<b>Characterized</b> <input checked="" type="radio"/> Yes <input type="radio"/> No
<input type="radio"/> Basic Method	<input checked="" type="radio"/> 1,000 ppm		<i>Percent Weight and Role Provided?</i>
<b>Threshold Disclosed Per</b>	<input type="radio"/> Per GHS SDS	Explanation(s) provided for Residuals/Impurities?	<b>Screened</b> <input checked="" type="radio"/> Yes <input type="radio"/> No
<input type="radio"/> Material	<input type="radio"/> Per OSHA MSDS		<i>Using Priority Hazard Lists with Results Disclosed?</i>
<input checked="" type="radio"/> Product	<input type="radio"/> Other	<input checked="" type="radio"/> Yes <input type="radio"/> No	<b>Identified</b> <input checked="" type="radio"/> Yes <input type="radio"/> No
			<i>Name and Identifier Provided?</i>

CONTENT IN DESCENDING ORDER OF QUANTITY

Summary of product contents and results from screening individual chemical substances against HPD Priority Hazard Lists and the GreenScreen for Safer Chemicals®. The HPD does not assess whether using or handling this product will expose individuals to its chemical substances or any health risk. Refer to Section 2 for further details.

MATERIAL | SUBSTANCE | RESIDUAL OR IMPURITY  
GREENSCREEN SCORE | HAZARD TYPE  
CAFCO 300 AC | PLASTER OF PARIS NoGS VERMICULITE NoGS  
BENTONITE LT-UNK LIMESTONE; CALCIUM CARBONATE LT-UNK  
CELLULOSE, MICROCRYSTALLINE NoGS QUARTZ LT-1 | CAN ]

Number of Greenscreen BM-4/BM3 contents ... 0  
Contents highest concern GreenScreen Benchmark or List translator Score ... LT-1  
Nanomaterial ... No

INVENTORY AND SCREENING NOTES:

VOLATILE ORGANIC COMPOUND (VOC) CONTENT

Material (g/l): 2 Regulatory (g/l): 50  
Does the product contain exempt VOCs: No  
Are ultra-low VOC tints available: N/A

CERTIFICATIONS AND COMPLIANCE See Section 3 for additional listings.

VOC emissions: CDP Standard Method V1.1 (Section 01350/CHPS) - Classroom & Office scenario  
VOC content: EPA Method 24 - Volatile Matter Content (EPA 24)  
Other: ILFI Declare - Red List Free

CONSISTENCY WITH OTHER PROGRAMS

Pre-checked for LEED v4 Material Ingredients, Option 1

Third Party Verified?	PREPARER: Self-Prepared	SCREENING DATE: 2018-10-19
<input type="radio"/> Yes	VERIFIER:	PUBLISHED DATE: 2018-12-06
<input checked="" type="radio"/> No	VERIFICATION #:	EXPIRY DATE: 2021-10-19



## Section 2: Content in Descending Order of Quantity

This section lists contents in a product based on specific threshold(s) and reports detailed health information including hazards. This HPD uses the inventory method indicated above, which is one of three possible methods:

- Basic Inventory method with Product-level threshold.
- Nested Material Inventory method with Product-level threshold
- Nested Material Inventory method with individual Material-level thresholds

Definitions and requirements for the three inventory methods and requirements for each data field can be found in the HPD Open Standard version 2.1, available on the HPDC website at: [www.hpd-collaborative.org/hpd-2-1-standard](http://www.hpd-collaborative.org/hpd-2-1-standard)

CAFCO 300 AC		%: 0.0000 - 100.0000		HPD URL:	
PRODUCT THRESHOLD: 1000 ppm		RESIDUALS AND IMPURITIES CONSIDERED: Yes			
RESIDUALS AND IMPURITIES NOTES: Impurities are displayed ingredients within the HPD					
OTHER MATERIAL NOTES: Gypsum Based, Wet Spray, Cementitious, Applied Fireproofing Material					
PLASTER OF PARIS				ID: 26499-65-0	
%: 50.0000 - 70.0000	GS: NoGS	RC: None	NANO: No	ROLE: Naturally Occurring	
HAZARDS:		AGENCY(IES) WITH WARNINGS:			
None Found		No warnings found on HPD Priority lists			
SUBSTANCE NOTES:					
VERMICULITE				ID: 1318-00-9	
%: 15.0000 - 30.0000	GS: NoGS	RC: None	NANO: No	ROLE: Aggregate	
HAZARDS:		AGENCY(IES) WITH WARNINGS:			
None Found		No warnings found on HPD Priority lists			
SUBSTANCE NOTES:					
BENTONITE				ID: 1302-78-9	
%: 1.0000 - 10.0000	GS: LT-UNK	RC: None	NANO: No	ROLE: Thickening Agent	
HAZARDS:		AGENCY(IES) WITH WARNINGS:			
None Found		No warnings found on HPD Priority lists			
SUBSTANCE NOTES:					
LIMESTONE; CALCIUM CARBONATE				ID: 1317-65-3	

%: **1.0000 - 10.0000**
 GS: **LT-UNK**
 RC: **None**
 NANO: **No**
 ROLE: **Naturally Occurring**

HAZARDS:

AGENCY(IES) WITH WARNINGS:

None Found

No warnings found on HPD Priority lists

SUBSTANCE NOTES:

CELLULOSE, MICROCRYSTALLINE

ID: 9004-34-6

%: **1.0000 - 10.0000**
 GS: **NoGS**
 RC: **PostC**
 NANO: **No**
 ROLE: **Filler**

HAZARDS:

AGENCY(IES) WITH WARNINGS:

None Found

No warnings found on HPD Priority lists

SUBSTANCE NOTES:

QUARTZ

ID: 14808-60-7

%: **Impurity/Residual**
 GS: **LT-1**
 RC: **None**
 NANO: **No**
 ROLE: **Impurity/Residual**

HAZARDS:

AGENCY(IES) WITH WARNINGS:

CANCER

US CDC - Occupational Carcinogens

Occupational Carcinogen

CANCER

CA EPA - Prop 65

Carcinogen - specific to chemical form or exposure route

CANCER

IARC

Group 1 - Agent is carcinogenic to humans - inhaled from occupational sources

CANCER

US NIH - Report on Carcinogens

Known to be Human Carcinogen (respirable size - occupational setting)

CANCER

MAK

Carcinogen Group 1 - Substances that cause cancer in man

CANCER

New Zealand - GHS

6.7A - Known or presumed human carcinogens

CANCER

Japan - GHS

Carcinogenicity - Category 1A

CANCER

Australia - GHS

H350i - May cause cancer by inhalation

SUBSTANCE NOTES:

## Section 3: Certifications and Compliance

*This section lists applicable certification and standards compliance information for VOC emissions and VOC content. Other types of health or environmental performance testing or certifications completed for the product may be provided.*

### VOC EMISSIONS

#### CDP Standard Method V1.1 (Section 01350/CHPS) - Classroom & Office scenario

CERTIFYING PARTY: Third Party

ISSUE DATE: 2017-08-01

EXPIRY DATE:

CERTIFIER OR LAB: UL Environmental

APPLICABLE FACILITIES: Stanhope, NJ Houston, TX San Bernardino, CA

CERTIFICATE URL:

CERTIFICATION AND COMPLIANCE NOTES: Report# 18652-01

### VOC CONTENT

#### EPA Method 24 - Volatile Matter Content (EPA 24)

CERTIFYING PARTY: Third Party

ISSUE DATE: 2012-08-08

EXPIRY DATE:

CERTIFIER OR LAB: American Research and Testing Inc.

APPLICABLE FACILITIES: Stanhope, New Jersey Houston, Texas San Bernardino, California

CERTIFICATE URL:

CERTIFICATION AND COMPLIANCE NOTES:

### OTHER

#### ILFI Declare - Red List Free

CERTIFYING PARTY: Third Party

ISSUE DATE: 2018-09-01

EXPIRY DATE: 2019-09-01

CERTIFIER OR LAB: International Living Future Institute

APPLICABLE FACILITIES: Stanhope, NJ San Bernardino, CA Houston, TX

CERTIFICATE URL: <https://living-future.org/declare-products/cafco-300-series/>

CERTIFICATION AND COMPLIANCE NOTES: ISK-0004, ISK-0005, ISK-0006

## Section 4: Accessories

*This section lists related products or materials that the manufacturer requires or recommends for installation (such as adhesives or fasteners), maintenance, cleaning, or operations. For information relating to the contents of these related products, refer to their applicable Health Product Declarations, if available.*

No accessories are required for this product.

## Section 5: General Notes

Impurities are displayed ingredients within the HPD. Isolatek International provides passive fireproofing materials under the CAFCO® and FENDOLITE® trademarks throughout the Americas and under the ISOLATEK® trademark throughout the remainder of the world.



MANUFACTURER INFORMATION

MANUFACTURER: **Isolatek International**  
ADDRESS: **41 Furnace Street**  
**Stanhope NJ 07874, USA**  
WEBSITE: **www.isolatek.com**

CONTACT NAME: **Philip Mancuso**  
TITLE: **Senior Technical Services Manager |**  
**Standards & Certifications**  
PHONE: **973-347-1200**  
EMAIL: **technical@isolatek.com**

KEY

**OSHA MSDS** Occupational Safety and Health Administration Material Safety Data Sheet  
**GHS SDS** Globally Harmonized System of Classification and Labeling of Chemicals Safety Data Sheet

Hazard Types

<b>AQU</b> Aquatic toxicity	<b>GLO</b> Global warming	<b>PHY</b> Physical Hazard (reactive)
<b>CAN</b> Cancer	<b>MAM</b> Mammalian/systemic/organ toxicity	<b>REP</b> Reproductive toxicity
<b>DEV</b> Developmental toxicity	<b>MUL</b> Multiple hazards	<b>RES</b> Respiratory sensitization
<b>END</b> Endocrine activity	<b>NEU</b> Neurotoxicity	<b>SKI</b> Skin sensitization/irritation/corrosivity
<b>EYE</b> Eye irritation/corrosivity	<b>OZO</b> Ozone depletion	<b>LAN</b> Land Toxicity
<b>GEN</b> Gene mutation	<b>PBT</b> Persistent Bioaccumulative Toxic	<b>NF</b> Not found on Priority Hazard Lists

GreenScreen (GS)

<b>BM-4</b> Benchmark 4 (prefer-safer chemical)	<b>LT-P1</b> List Translator Possible Benchmark 1
<b>BM-3</b> Benchmark 3 (use but still opportunity for improvement)	<b>LT-1</b> List Translator Likely Benchmark 1
<b>BM-2</b> Benchmark 2 (use but search for safer substitutes)	<b>LT-UNK</b> List Translator Benchmark Unknown (insufficient information from List Translator lists to benchmark)
<b>BM-1</b> Benchmark 1 (avoid - chemical of high concern)	<b>NoGS</b> Unknown (no data on List Translator Lists)
<b>BM-U</b> Benchmark Unspecified (insufficient data to benchmark)	

Recycled Types

**PreC** Preconsumer (Post-Industrial)  
**PostC** Postconsumer  
**Both** Both Preconsumer and Postconsumer  
**Unk** Inclusion of recycled content is unknown  
**None** Does not include recycled content

Other Terms

Inventory Methods:

**Nested Method / Material Threshold** Substances listed within each material per threshold indicated per material  
**Nested Method / Product Threshold** Substances listed within each material per threshold indicated per product  
**Basic Method / Product Threshold** Substances listed individually per threshold indicated per product

**Nano** Composed of nano scale particles or nanotechnology  
**Third Party Verified** Verification by independent certifier approved by HPDC  
**Preparer** Third party preparer, if not self-prepared by manufacturer  
**Applicable facilities** Manufacturing sites to which testing applies

*The Health Product Declaration (HPD) Open Standard provides for the disclosure of product contents and potential associated human and environmental health hazards. Hazard associations are based on the HPD Priority Hazard Lists, the GreenScreen List Translator™, and when available, full GreenScreen® assessments. The HPD Open Standard v2.1 is not:*

- a method for the assessment of exposure or risk associated with product handling or use,*
- a method for assessing potential health impacts of: (i) substances used or created during the manufacturing process or (ii) substances created after the product is delivered for end use.*

*Information about life cycle, exposure and/or risk assessments performed on the product may be reported by the manufacturer in appropriate Notes sections, and/or, where applicable, in the Certifications section.*

*The HPD Open Standard was created and is supported by the Health Product Declaration Collaborative (the HPD Collaborative), a customer-led organization composed of stakeholders throughout the building industry that is committed to the continuous improvement of building products through transparency, openness, and innovation throughout the product supply chain.*

*The product manufacturer and any applicable independent verifier are solely responsible for the accuracy of statements and claims made in this HPD and for compliance with the HPD standard noted.*